



Low pH Presoak II

Low pH Presoak II is an alkaline vehicle body prep soak and wheel cleaner designed to aid in the removal of stubborn dirt, quickly removes bugs, bird droppings and heavy soil.

Dilution

Dilution rates range from 128 to 256:1 with water

Application

Low pH (Acid) Presoak

- Used in Tunnels
- Used in In-Bay-Automatic
- Used in Self-Serve

Technical Data

Appearance: Pale Amber Liquid
 Biodegradable: Yes
 Foaming: Low to moderate
 pH: <1.0
 Rinsing: Complete
 Stability: Good

Storage Instructions

Product may become unstable if cooled below 40°F. Keep product warm and above bare concrete floors. If product becomes unstable, add hot water and mix well. Product can be used if thawed properly. Store in cool, dry place. Provide ventilation for receptacles. Store away from foodstuffs. Store away from oxidizing agents. Do not store together with alkalis (caustic solutions). Keep container tightly sealed.

Product Code

CW771

Safety


Hazard statements: Causes severe skin burns and eye damage.

Signal Word: DANGER



Precautionary statements: Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/ spray. Wear protective gloves/protective clothing/eye protection. Wash hands and exposed skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Immediately call a POISON CENTER or doctor/physician. **IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting. **IF ON SKIN (or hair):** Remove/ Take off immediately all contaminated clothing. Rinse skin with water/shower. **IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. **IF IN EYES:** Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If skin irritation or a rash occurs: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/ regulations.

National Fire Protection Association (NFPA):



Shipping

UN3264, Corrosive liquids, acidic, inorganic n.o.s. (Phosphoric acid), 8, PG III